

# MATERIAL SAFETY DATA SHEET

## Section 1: Product & Company Identification

**Product Name:** Belt Dressing  
**Product Number (s):** 03065, 73065, 83065

Manufactured By: CRC Industries, Inc. (215) 674-4300  
885 Louis Drive, Warminster, PA 18974  
24-Hour Emergency Information: CHEMTREC (800) 424-9300

---

## Section 2: Composition/Information on Ingredients

Component	CAS NUMBER	ACGIH TLV	OSHA PEL	OTHER LIMITS	%
Polyisobutene	9003-29-6	NE	NE	NE	5 - 15
Isohexanes	107-83-5	500 ppm	500 ppm	NE	55 -70
Liquefied petroleum gas	68476-86-8	NE	NE	NE	25 - 30
n-Hexane	110-54-3	50 ppm	50 ppm	NE	4.5

---

## Section 3: Hazards Identification

### Emergency Overview

Appearance & Odor: Light amber liquid.

Danger: Extremely Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

### Potential Health Effects:

Inhalation: Dizziness, headaches, anesthesia and unconsciousness.  
Eyes: Irritation, pain  
Skin: Irritation, defatting  
Ingestion: Gastrointestinal irritation

Carcinogenicity: OSHA: No IARC: No NTP: No  
Chronic Overexposure: Repeated overexposure may cause liver and kidney effects.  
Medical Conditions Aggravated by Exposure: None Identified.

---

## Section 4: First Aid Measures

Inhalation: Remove to fresh air. Give artificial respiration if necessary.  
Eyes: Flush with large amounts of water for 15 minutes.  
Skin: Remove contaminated clothing and wash area with soap and water.  
Ingestion: Call a physician. Do not induce vomiting.

---

---

**Section 5: Fire-Fighting Measures**

Flashpoint: <20°F      Method: TCC      LEL: 1.8      UEL: 9.5  
Extinguishing Media: Dry chemical and foam  
Hazardous Combustion Products: Carbon monoxide and hydrogen chloride  
Fire-fighting Instructions: Remove containers from fire area if possible. Use self-contained breathing apparatus for fire fighting. Aerosol cans may explode if heated above 120°F.

NFPA:      Health:      2      Flammability:      4      Reactivity:      0  
HMIS:      Health:      2      Flammability:      4      Reactivity:      0      PPE:      B

---

**Section 6: Accidental Release Measures**

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

---

**Section 7: Handling and Storage**

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Aerosol Storage Level: III.

---

**Section 8: Exposure Controls/Personal Protection**

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

---

**Section 9: Physical & Chemical Properties**

Physical State:	Liquid	Appearance & Odor:	Light amber liquid
Specific Gravity:	.6783	Boiling Point:	141°F (initial)
Freezing Point:	ND	Vapor Pressure:	ND
Evaporation Rate:	NA	Vapor Density (air = 1)	> air
pH:	NA	Solubility:	Soluble.
Volatile Organic Compounds %:	92.1	g/L: 578	lbs./gal: 4.85

---

**Section 10: Stability and Reactivity**

Stability: Stable      Hazardous Polymerization: No  
Chemical Incompatibilities: Strong oxidizers. Aluminum and/or zinc powder  
Conditions to Avoid: Extreme temperatures

Hazardous Decomposition Products: None

-----  
Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

-----  
Section 12: Ecological Information

Ecotoxicity: No data available.  
Environmental Fate: No data available for biodegradation.

-----  
Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

-----  
Section 14: Transportation Information

Shipping Name: Consumer Commodity  
Hazard Class: ORM-D UN Number: NA Packing Group: NA  
Label: NA Placard: NA  
Special Provisions: NA

-----  
Section 15: Regulatory Information

TSCA: All components are either listed under TSCA or are exempt.  
SARA Title III: Section 311/312: Acute, Pressure, Fire  
Section 313: n-Hexane (4.5%)  
CERCLA/Superfund (RQ): NA  
Extremely Hazardous Substances: No  
California Prop 65: No

-----  
Section 16: Additional Information

Prepared By: Michelle Rudnick Date: June 1, 2005  
Technical Information: (800) 521-3168 CRC #: 00439C

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND:	Not Determined
TCC:	Tag Closed Cup	NE:	Not Established
LEL:	Lower Explosive Limit	g/L:	grams per Liter
UEL:	Upper Explosive Limit	lbs./gal:	pounds per gallon
PPE:	Personal Protection Equipment	RQ:	Reportable Quantity