

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

<u>Product</u>	<u>MSDS</u>	<u>Distributor</u>	<u>Format</u>	<u>Language</u>	<u>Quantity</u>
ND4659	N/A	Hach Company	OSHA	English	1

---

Total Enclosures: 1

World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M00216

# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Calcium Hardness-1  
**Catalog Number:** ND4659

Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

Emergency Telephone Numbers:  
(Medical and Transportation)  
(303) 623-5716 24 Hour Service  
(515)232-2533 8am - 4pm CST

**MSDS Number:** M00216  
**Chemical Name:** Not Applicable  
**CAS No.:** Not Applicable  
**Chemical Formula:** Not Applicable  
**Chemical Family:** Not applicable  
**Hazard:** Causes severe burns.  
**Date of MSDS Preparation:**  
**Day:** 22  
**Month:** 09  
**Year:** 2004

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

### Demineralized Water

**CAS No.:** 7732185  
**TSCA CAS Number:** 7732-18-5  
**Percent Range:** 50.0 - 60.0  
**Percent Range Units:** volume / volume  
**LD50:** None reported  
**LC50:** None reported  
**TLV:** Not established  
**PEL:** Not established  
**Hazard:** No effects anticipated.

### Potassium Hydroxide

**CAS No.:** 1310583  
**TSCA CAS Number:** 1310-58-3  
**Percent Range:** 40.0 - 50.0  
**Percent Range Units:** weight / volume  
**LD50:** Oral rat LD50 = 273 mg/kg  
**LC50:** None reported  
**TLV:** 2 mg/m<sup>3</sup> Ceiling  
**PEL:** 2 mg/m<sup>3</sup> Ceiling  
**Hazard:** Toxic. Causes severe burns.

## 3. HAZARDS IDENTIFICATION

**Emergency Overview:**  
**Appearance:** Clear, colorless liquid  
**Odor:** Irritating  
CAUSES SEVERE BURNS

**HMIS:**

**Health:** 3

**Flammability:** 0

**Reactivity:** 1

**Protective Equipment:** X - See protective equipment, Section 8.

**NFPA:**

**Health:** 3

**Flammability:** 0

**Reactivity:** 1

**Symbol:** Not applicable

**Potential Health Effects:**

**Eye Contact:** Causes severe burns

**Skin Contact:** Causes severe burns

**Skin Absorption:** None reported

**Target Organs:** None reported

**Ingestion:** Causes: severe burns abdominal pain vomiting Can cause: death

**Target Organs:** None reported

**Inhalation:** Causes: severe burns sneezing coughing discomfort bronchospasms Can cause: death

**Target Organs:** None reported

**Medical Conditions Aggravated:** Pre-existing: Eye conditions Skin conditions Respiratory conditions

**Chronic Effects:** None reported

**Cancer / Reproductive Toxicity Information:**

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

**Additional Cancer / Reproductive Toxicity Information:** None reported

**Toxicologically Synergistic Products:** None reported

---

## 4. FIRST AID

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.

**Skin Contact (First Aid):** Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

**Ingestion (First Aid):** Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

**Inhalation:** Remove to fresh air. Give artificial respiration if necessary. Call physician.

---

## 5. FIRE FIGHTING MEASURES

**Flammable Properties:** Material will not burn.

**Flash Point:** Not applicable

**Method:** Not applicable

**Flammability Limits:**

**Lower Explosion Limits:** Not applicable

**Upper Explosion Limits:** Not applicable

**Autoignition Temperature:** Not applicable

**Hazardous Combustion Products:** This material will not burn.

**Fire / Explosion Hazards:** Contact with metals gives off hydrogen gas which is flammable

**Static Discharge:** None reported.

**Mechanical Impact:** None reported

**Extinguishing Media:** Water.

**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Spill Response Notice:**

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

**Containment Technique:** Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

**Clean-up Technique:** Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution.

**Evacuation Procedure:** Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

**Special Instructions (for accidental release):** Product is regulated as RCRA hazardous waste. Mixture contains a component which is regulated as a water pollutant.

**304 EHS RQ (40 CFR 355):** Not applicable

**D.O.T. Emergency Response Guide Number:** 154

---

## 7. HANDLING / STORAGE

**Handling:** Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

**Storage:** Store away from: acids metals organic peroxides combustible materials Protect from: heat freezing

**Flammability Class:** Not applicable

---

## 8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

**Engineering Controls:** Have an eyewash station nearby. Have a safety shower nearby. Use a fume hood to avoid exposure to dust, mist or vapor. Maintain general industrial hygiene practices when using this product.

**Personal Protective Equipment:**

**Eye Protection:** safety glasses with top and side shields

**Skin Protection:** disposable latex gloves lab coat

**Inhalation Protection:** laboratory fume hood

**Precautionary Measures:** Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Protect from: heat freezing

**TLV:** Not established

**PEL:** Not established

---

## 9. PHYSICAL / CHEMICAL PROPERTIES

**Appearance:** Clear, colorless liquid

**Physical State:** Liquid

**Molecular Weight:** Not applicable

**Odor:** Irritating

**pH:** 14

**Vapor Pressure:** 450.5 mm Hg @ 100 °C

**Vapor Density (air = 1):** Not determined

**Boiling Point:** > 100 °C >212 °F

**Melting Point:** Not determined

**Specific Gravity (water = 1):** 1.3

**Evaporation Rate (water = 1):** 0.18

**Volatile Organic Compounds Content:** Not applicable

**Partition Coefficient (n-octanol / water):** Not applicable

**Solubility:**

**Water:** Soluble

**Acid:** Soluble

**Other:** Not determined

**Metal Corrosivity:**

**Steel:** Not determined

**Aluminum:** 21.311 in/yr

---

## 10. STABILITY / REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.

**Conditions to Avoid:** Extreme temperatures

**Reactivity / Incompatibility:** May react violently in contact with: acids metals organic peroxides combustible materials

**Hazardous Decomposition:** Contact with metals may release flammable hydrogen gas.

**Hazardous Polymerization:** Will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

**Product Toxicological Data:**

**LD50:** None reported

**LC50:** None reported

**Dermal Toxicity Data:** None reported

**Skin and Eye Irritation Data:** None reported

**Mutation Data:** None reported

**Reproductive Effects Data:** None reported

**Ingredient Toxicological Data:** Potassium Hydroxide Oral Rat LD50 = 365mg/kg

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --

No ecological data available for this product.

**Ingredient Ecological Information:** --

No ecological data available for the ingredients of this product.

---

## 13. DISPOSAL CONSIDERATIONS

**EPA Waste ID Number:** D002

**Special Instructions (Disposal):** Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Flush system with plenty of water.

**Empty Containers:** Dispose of empty container as normal trash. Rinse three times with an appropriate solvent.

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

---

## 14. TRANSPORT INFORMATION

**D.O.T.:**

**D.O.T. Proper Shipping Name:** Potassium Hydroxide, Solution

--

**DOT Hazard Class:** 8

**DOT Subsidiary Risk:** NA

**DOT ID Number:** UN1814

**DOT Packing Group:** II

**I.C.A.O.:**

**I.C.A.O. Proper Shipping Name:** Potassium Hydroxide Solution

--

**ICAO Hazard Class:** 8

**ICAO Subsidiary Risk:** NA

**ICAO ID Number:** UN1814

**ICAO Packing Group:** II

**I.M.O.:**

**I.M.O. Proper Shipping Name:** Potassium Hydroxide Solution

--

**I.M.O. Hazard Class:** 8

**I.M.O. Subsidiary Risk:** NA

**I.M.O. ID Number:** UN1814

**I.M.O. Packing Group:** II

**Additional Information:** This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit Hazard Class: 9 UN Number 3316

---

## 15. REGULATORY INFORMATION

### *U.S. Federal Regulations:*

**O.S.H.A.:** This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

### *E.P.A.:*

**S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370):** Immediate (Acute) Health Hazard

**S.A.R.A. Title III Section 313 (40 CFR 372):** This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

**302 (EHS) TPQ (40 CFR 355):** Not applicable

**304 CERCLA RQ (40 CFR 302.4):** Potassium hydroxide 1000 lbs.

**304 EHS RQ (40 CFR 355):** Not applicable

**Clean Water Act (40 CFR 116.4):** Potassium hydroxide - RQ 1000 lbs.

**RCRA:** Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

**C.P.S.C.:** The label for this product bears the signal word "POISON" because the concentration of Potassium Hydroxide in the product is greater than/equal to 10%.

### *State Regulations:*

**California Prop. 65:** No Prop. 65 listed chemicals are present in this product.

**Identification of Prop. 65 Ingredient(s):** Not applicable

**Trade Secret Registry:** Not applicable

### *National Inventories:*

**U.S. Inventory Status:** All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

**TSCA CAS Number:** Not applicable

---

## 16. OTHER INFORMATION

**Intended Use:** Calcium determination Hardness determination Buffer

**References:** Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Technical Judgment. In-house information. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

**Revision Summary:** Updates in Section(s) 14,

---

### **Legend:**

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2004