



**SECTION 5 - HEALTH HAZARDS**

THRESHOLD LIMIT VALUE: Not established

PRIMARY ROUTE OF ENTRY: EYE  DERMAL  INHALATION  INGESTION

SIGNS AND SYMPTOMS OF EXPOSURE

1. Acute Overexposure: Excessive inhalation of vapors may irritate nose, throat and respiratory tract. Contact with eyes may cause irritation.
2. Chronic Overexposure: Prolonged or repeated contact with skin may be irritating.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Not known

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN

1. National Toxicology Program: Yes  No
2. I.A.R.C. Monographs: Yes  No
3. OSHA: Yes  No

OSHA PERMISSIBLE EXPOSURE LIMIT: Not established

ACGIH THRESHOLD LIMIT VALUE: Not established

OTHER EXPOSURE LIMIT USED: Not established

EMERGENCY AND FIRST AID PROCEDURES

1. INHALATION: Remove subject from exposure to fresh air.
2. EYES: Flush immediately with large amounts of water for at least 15 minutes. If irritation persists, get medical attention.
3. SKIN: Wash with soap and warm water. If drenched, remove and wash clothing before reuse. Consult physician. Treat symptomatically.
4. INGESTION: Rinse mouth with water. Give 1 to 2 glasses of water to dilute. Consult physician. Treat symptomatically. Do not induce vomiting.

**SECTION 6 - SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION: Not required

VENTILATION

LOCAL EXHAUST: Adequate

MECHANICAL (GENERAL): Not required

SPECIAL: None

OTHER: None

PROTECTIVE GLOVES: Not required

EYE PROTECTION: Not required

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not required

**SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep from freezing.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN! Do not cut or weld empty container.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Absorb on mineral clay absorbent material.

WASTE DISPOSAL METHODS: Dispose of in accordance with federal, state, and local regulations.