

**MATERIAL SAFETY DATA SHEET**

**SECTION 1 PRODUCT AND COMPANY IDENTIFICATION**  
Trade Name: OATEY ALL PURPOSE LEAK DETECTOR  
Product Numbers: 30209, 30211, 30212  
Product Use: Detecting leaks in systems under gas pressure.  
Formula: See Section 2.  
Synonyms: Leak detector.  
Firm Name & Mailing Address: OATEY CO. 4700 West 160th Street P.O. Box 35906 Cleveland, Ohio 44135, U.S.A. <http://www.oatey.com>  
Oatey Phone Number: (216) 267-7100  
Emergency Phone Numbers: For Emergency First Aid call 1-303-623-5716 COLLECT. For chemical transportation emergencies ONLY, call Chemtrec at 1-800-424-9300. Outside the U.S. 1-703-527-3887.  
Prepared By: Corporate Director - Safety and Environmental Compliance  
Preparation Date: May 9, 2005

**SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS**

<u>INGREDIENTS:</u>	<u>%wt/wt:</u>	<u>CAS NUMBER:</u>	<u>ACGIH TLV TWA:</u>	<u>OSHA PEL TWA:</u>	<u>OTHER:</u>
Ethylene Glycol	40 - 70%	107-21-1	100 mg/m <sup>3</sup> (c)	None	None
Water	30 - 60%	7732-18-5	None	None	None

(c) = Ceiling

OSHA Hazard Classification: Harmful if swallowed. Organ effects.

**SECTION 3 HAZARDS IDENTIFICATION**  
Emergency Overview:  
Ice blue liquid, which may cause eye, skin, and respiratory tract irritant.  
Ingestion can cause CNS and kidney effects and possibly death.

**SECTION 4 FIRST AID MEASURES**  
CALL 1-303-623-5716 COLLECT

Skin: Remove contaminated clothing immediately. Wash all exposed areas with soap and water. Get medical attention if irritation develops.

Eyes: If material gets into eyes or if fumes cause irritation, immediately flush eyes with plenty of water until chemical is removed. If irritation persists, get medical attention immediately.

Inhalation: If respiratory irritation develops, remove to fresh air. If breathing becomes difficult, administer oxygen. Administer artificial respiration if breathing has stopped. Seek immediate medical attention.

Ingestion: If swallowed, immediately give 2 glasses of water and induce vomiting. Never give anything by mouth to a person who is unconscious or drowsy. Get immediate medical attention by calling a Poison Control Center, or hospital emergency room. If medical advice cannot be obtained, then take the person and product to the nearest medical emergency treatment center or hospital.

**SECTION 5 FIRE FIGHTING MEASURES**

Flashpoint / Method: Not applicable.  
Flammability: LEL = Not Applicable, UEL = Not applicable  
Extinguishing: Not applicable.  
Media:  
Special Fire Fighting: None.  
Procedure:  
Unusual Fire and Explosion: None  
Hazards:  
Hazardous: Combustion, after water is boiled off, will produce oxides  
Decomposition: of carbon.  
Products:

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Spill or Leak: See Section 8 for required personal protective equipment. Contain spill, stop source of leak, pump spilled material into salvage container, soak up remaining material with absorbent such as sand or clay. Prevent product from entering potable or natural water systems. Determine if reporting is required under CERCLA.  
Procedures:

**SECTION 7 HANDLING AND STORAGE**

Handling: Avoid prolonged and repeated skin contact. Launder contaminated clothing before reuse.  
Storage: Store away from direct heat source and strong oxidizing agents.  
Other: Do not pressurize, cut, weld, braze, drill, grind or heat empty containers as some flammable, hazardous or combustible residue may be present. Avoid breathing mist. For industrial use only.

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation: Recommended to maintain mist below TLV limit.  
Respiratory Protection: For operations where the exposure limit may be exceeded, a NIOSH approved organic vapor respirator or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration, select in accordance with 29 CFR 1910.134 and good industrial hygiene practice.  
Skin Protection: Oil/Chemical resistant gloves to minimize skin contact.  
Eye Protection: Goggles or face shield if contact is expected.  
Other: Eye wash and safety shower should be available.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point: 238 °F / 114 °C  
Melting Point: Not determined  
Vapor Pressure: Not determined  
Vapor Density: 1.14 (Air = 1)  
Volatile Components: Nil.  
Solubility In Water: 100%  
pH: Not determined  
Specific Gravity: 1.039  
Evaporation Rate: 3.4  
Appearance: Ice blue liquid.  
Odor: Soapy fragrance.  
Will Dissolve In: Water  
Material Is: Liquid

**SECTION 10 STABILITY AND REACTIVITY**

Stability: Stable.  
Conditions To Avoid: None.  
Hazardous  
Decomposition Oxides of carbon.  
Products:  
Incompatibility/ None.  
Materials To Avoid:  
Hazardous Will not occur.  
Polymerization:

**SECTION 11 TOXICOLOGICAL INFORMATION**

Inhalation: Excessive exposure to mist may irritate respiratory tract.  
Skin: May cause irritation. Skin absorption may occur in amounts capable of producing toxic effects.  
Eye: May cause irritation, redness and itching.  
Ingestion: May cause central nervous system depression, vomiting, drowsiness ataxia, slurred speech and renal damage. Convulsions, coma and death may result from ingestion of large quantities.  
Chronic Prolonged continued skin contact may cause dermatitis, mist may  
Toxicity: irritate respiratory tract.  
Toxicity Data: Ethylene glycol: Oral LD<sub>50</sub> (rat) 5,000 to 13,000 mg/kg.  
Sensitization: None of the components are known to cause sensitization.  
Carcinogenicity: None of the components are listed as a carcinogen or suspect carcinogen by NTP, IARC or OSHA.  
Mutagenicity: None known  
Reproductive None anticipated based on product formula. Ethylene glycol may  
Toxicity: cause birth defects based on tests with laboratory animals.  
Medical  
Conditions  
Aggravated By  
Exposure: None known.

**SECTION 12 ECOLOGICAL INFORMATION**

VOC  
Information: Unknown  
VOC Level: Unknown

**SECTION 13 DISPOSAL CONSIDERATIONS**

Waste Disposal: Dispose in accordance with current local, state and federal regulations.  
RCRA Hazardous Waste Number: Not applicable  
EPA Hazardous Waste ID Number: Not applicable  
EPA Hazard Waste Class: None

**SECTION 14 TRANSPORTATION INFORMATION**

DOT  
Proper Shipping Name: Not applicable  
Hazard Class/Packing Group: Not applicable  
UN/NA Number: Not applicable  
Hazard Labels: Not applicable  
IMDG  
Proper Shipping Name: Not applicable  
Hazard Class/Packing Group: Not applicable  
UN Number: Not applicable  
Label: Not applicable

**SECTION 15 REGULATORY INFORMATION**

Hazard Category for Section 311/312: Acute and chronic health hazards

Section 302 Extremely Hazardous Substances (TPQ): This product does not contain chemicals regulated under SARA Section 302.

Section 313 Toxic Chemicals: 40 - 60% ethylene glycol.

CERCLA 103 Reportable: 5,000 lbs. (ethylene glycol).

California Proposition 65: This product does not contain any chemicals subject To California Proposition 65 regulation.

TSCA Inventory: All of the components of this product are listed on the TSCA inventory.

Canadian WHMIS Classification: D-2A. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**SECTION 16 OTHER INFORMATION**

NFPA and HMIS:

NFPA Hazard Signal: Health: 1 Flammability: 1 Reactivity: 0 Special: None

HMIS Hazard Signal: Health: 1\* Flammability: 1 Reactivity: 0 PPE: B

**Disclaimer:**

The information herein has been compiled from sources believed to be reliable, up-to-date, and is accurate to the best of our knowledge. However, Oatey cannot give any guarantees regarding information from other sources, and expressly does not make warranties, nor assumes any liability for its use.